let's crack defence exams www.ssbcrackexams.com

THE MOST POPULAR DEFENCE EXAM APP OF ALL TIME

Prepare for defence exams like NDA, CDS, AFCAT, INET, TA, GROUP X&Y, MNS, ACC and more.



BEST FEATURES

SSBCrackExams is the exclusive online platform for the candidates aspiring to make the Nation proud.



DETAILED LECTURES

Start enjoying your learning experience by the rock-solid video lessons specially designed for your easy understanding & higher scores in the exam.



PYQAs & TEST SERIES

Get ready for your D-Day with unlimited practice papers & previous years' questions made easy with our insightful video classes & extra notes prepared



SMART ANALYTICS

Get your own personalized Performance Tracker where you can check your Learning Footprints, Digital Notes, All-India Ranking, Timed Tests, Mind-blowing Quizzes, Prompt Videos, quick & accurate Mock Test Results, Self-Analytic Progress Reports and more.





👼 www.ssbcrackexams.com

1. $x^3 + x^2 + 16$ is exactly divisible by x, where x is 4. a positive integer. The number of all such possible values of x is

- (a) 3
- (b) 4
- (c) 5
- (d) 6
- The number of (a, b, c), where a, b, c are positive integers such that abc = 30, is
 - (a) 30

2.

3.

The number of different solutions of the equation x + y + z = 12, where each of x, y and z is a positive integer, is

- 53 (a) , (b) 54
 - 55 (c)
 - 56 (d)

If $I = a^2 + b^2 + c^2$, where a and b are 5. consecutive integers and c = ab, then I is

> an even number and it is not a square of (a) an integer

> an odd number and it is not a square of (b) an integer

> > square of an even integer

(a)	30				
(b)	27				5 56(
(c)	9				
(d)	8				
If	the	roots	of the	quadratic	equation
x ² -	4x –	log ₁₀ N	N = 0 are	real, then w	hat is the
mini	mum	a value	of N?		
(a)	1				
(b)	$\frac{1}{10}$				
					A REAL PROPERTY OF A READ REAL PROPERTY OF A REAL P

(ç) square of an odd integer ` (d)

If the number 23P62971335 is divisible by the 6. smallest odd composite number, then what is the value of P?

(a) 4 (b) 5 , (c) 6 (d)

7

7. What is the remainder when the sum $1^5 + 2^5 + 3^5 + 4^5 + 5^5$ is divided by 4?

(a) 0

(b) (c) 2

(d)

3

DZOL-T-LKM

(d)

. (c)

100

10000

(3 - A)



	 What is the digit in the unit place of 3⁹⁹? (a) 1 (b) 3 (c) 7 (d) 9 	 If 17²⁰²⁰ is divided by 18, then what is the remainder? (a) 1 (b) 2 (c) 16 (d) 17
9.	LCM of two numbers is 28 times their HCF. The sum of the HCF and the LCM is 1740. It one of these numbers is 240, then what is the other number ?	$f 1 1 \frac{1}{1 + \frac{1}{1 + \dots + \dots + \frac{1}{1 + \dots + $
	 (a) 420 (b) 640 	(c) 9
	(c) 820	(d) 10
	(d) 1040	13. If $x^m = \sqrt[14]{x \sqrt{x \sqrt{x}}}$, then what is the value of
10.	$(x^n - a^n)$ is divisible by $(x - a)$, where $x \neq a$, for	m?
	every	$(a) \frac{1}{8}$
	(a) natural number n	(b) $\frac{1}{4}$
	(b) even natural number n only	
	(c) odd natural number n only	(c) $\frac{3}{4}$
	(d) prime number n only	(d) $\frac{7}{4}$
DZOI	L-T-LKM (5-A)



- 14. The sum of all possible products taken two at 17. a time out of the numbers \pm 1, \pm 2, \pm 3, \pm 4, \pm 5 is
 - (a) 0
 - (b) -30
 - (c) - 55
 - (d) 55
- 15. A train of length 110 m is moving at a uniform speed of 132 km/hr. The time required to cross a bridge of length 165 m is
 - 6.5 seconds (a)

A 60-page book has n lines per page. If the number of lines were reduced by 3 in each page, the number of pages would have to be increased by 10 to give the same writing space. What is the value of n ?

18 (a) 21 (b) 1 24 (c) 30 (d)

EXAMS

- (b) 7 seconds
- 7.5 seconds (c)
- (d) 8.5 seconds
- The simple interest on a certain sum is 16. one-fourth of the sum. If the number of years and the rate of annual interest are numerically equal, then the number of years is
 - 2.5 (a) 3 (b) 3.5 (c) - (d) 5

If x men working x hours per day can do 18. x units of work in x days, then y men working y hours per day in y days would be able to do k units of work. What is the value of k?

x²y (a) x3y-2 (b) y^2x^{-3} (c) - (d) y^3x^{-2}

DZOL-T-LKM

(7 - A)



- Let d(n) denote the number of positive divisors 21. 19. of a positive integer n. Which of the following are correct ?
 - d(5) = d(11)1.
 - d(5).d(11) = d(55)2.
 - d(5) + d(11) = d(16)3.

Select the correct answer using the code given below :

- 1 and 3 only (a)
- 1 and 2 only (b)
- 2 and 3 only (c)

A shopkeeper sells his articles at their cost price but uses a faulty balance which reads 1000 gm for 800 gm. What is the actual profit percentage ?

20% • (a) 25% (b) 30% (c) 40% (d)

A river 3 m deep and 40 m wide is flowing at 22. the rate of 2 km/hr and falls into the sea. What is the amount of water in litres that will fall into the sea from this river in a minute ?

1, 2 and 3 (d)

- EXAMS 40,00,000 litres (a)
- If $A_n = P_n + 1$, where P_n is the product of the 20. first n prime numbers, then consider the following statements :
 - A_n is always a composite number. 1.
 - 2. $A_n + 2$ is always an odd number.
 - $A_n + 1$ is always an even number. 3.

Which of the above statements is/are correct?

- 1 only (a)
- (b) 2 only
- (c) 3 only
- (d) 2 and 3 only
- DZOL-T-LKM

- 4,00,000 litres (b)
- 40,000 litres (c)
- 4,000 litres . (d)
- If a television set is sold at ₹ x, a loss of 28% 23. would be incurred. If it is sold at ₹ y, a profit of 12% would be incurred. What is the ratio of y to x?

Participation for a state of

「「「「「「「「「「「「「」」」」」」」」」」」」」

- (a) 41:9
- (b) 31:9
 - (c) 23:9
- (**d**) 14:9
- (9 A)



24. By increasing the speed of his car by 15 km/hr, 26. a person covers a distance of 300 km by taking an hour less than before. What was the original speed of the car?

- (a) 45 km/hr
- (b) 50 km/hr
- (c) 60 km/hr

A ST

(d) 75 km/hr

If x varies as y, then which of the following is/are correct ? 1. $x^2 + y^2$ varies as $x^2 - y^2$ $\frac{x}{x^2}$ varies inversely as y 2. ¶x²y varies as 2m√x4y2 3. Select the correct answer using the code given below : (a) 1 and 2 only 2 and 3 only (b) (c) 3 only

SSBCCC (1, 2 and 3 EXAMS

Three persons start a business with 25. capitals in the ratio $\frac{1}{3}$: $\frac{1}{4}$: $\frac{1}{5}$. The first Ena was born 4 years after her parents 27. person withdraws half his capital after marriage. Her mother is 3 years younger than 4 months. What is his share of profit if the her father and 24 years older than Ena, who is business fetches an annual profit of ₹ 96,800 ? 13 years old. At what age did Ena's father get married ? ₹ 32,000 (a) 25 years (a) ₹ 34,500 (b) 24 years (b) ₹ 36,000 (c) 23 years (c)22 years (d) ₹ 36,800 (d) (11-A) DZOL-T-LKM



- 28. Mahesh is 60 years old. Ram is 5 years younger to Mahesh and 4 years elder to Raju. Babu is a younger brother of Raju and he is 6 years younger. What is the age difference between Mahesh and Babu ?
 - (a) 18 years
 - _ (b) 15 years
 - (c) 13 years
 - (d) 11 years
- 29. The number of items in a booklet is N. In the first year there is an increase of x% in this number and in the subsequent year there is a decrease of x%. At the end of the two years,

What is the HCF of the polynomials $x^6 - 3x^4 + 3x^2 = 1$ and $x^3 + 3x^2 + 3x + 1?$ (a) (x + 1)

- (b) $(x + 1)^2$ (c) $x^2 + 1$
 - (d) $(x + 1)^3$
- 32. The HCF and the LCM of two polynomials are 3x + 1 and $30x^3 + 7x^2 - 10x - 3$ respectively. If one polynomial is $6x^2 + 5x + 1$, then what is the other polynomial ?

wh	at will be the number of items in the		EXAM	IS
	oklet?		(a)	$15x^2 + 4x + 3$
(a)	Less than N		(b)	$15x^2 + 4x - 3$
` (b)	Equal to N		(c)	$15x^2 - 4x + 3$
(c)	More than N		(d)	$15x^2 - 4x - 8$
(d)	It depends on the value of N		-	
30. If	ab + xy - xb = 0 and $bc + yz - cy = 0$, then	33.		(p + 2) (2q - 1) = 2pq - 10 and
wh	at is $\frac{x}{a} + \frac{c}{z}$ equal to?	-	(p - 2	2) $(2q - 1) = 2pq - 10$, then what is
	A STATE AND A STAT	16.11	pq e	qual to ?
(a)	D		(a)	- 10
(b)	$\frac{\mathbf{b}}{\mathbf{y}}$		(b)	- 5
(c)	1		(c)	5
(d) 0		(d)	10
DZOL-T	-LKM	3 – A)		



34. What is the value of 38. $\frac{a^2 + ac}{a^2c - c^3} - \frac{a^2 - c^2}{a^2c + 2ac^2 + c^3} - \frac{2c}{a^2 - c^2} + \frac{3}{a + c}$ (a) 0 (b) 1 ac (c) $a^2 + c^2$ (d) a + c35. What is the square root of $4x^4 + 8x^3 - 4x + 1$? $2x^2 - 2x - 1$ (a) $2x^2 - x - 1$ (b) $2x^2 + 2x + 1$ (c)

X, Y and Z travel from the same place with uniform speeds 4 km/hr, 5 km/hr and 6 km/hr respectively. Y starts 2 hours after X. How long after Y must Z start in order that they overtake X at the same instant?

(a)
$$\frac{3}{2}$$
 hours
(b) $\frac{4}{3}$ hours
(c) $\frac{9}{8}$ hours
(d) $\frac{11}{8}$ hours

39. $1 - x - x^n + x^{n+1}$, where n is a natural number, B SSB

(d) $2x^2 + 2x - 1$

35

40

45

54

(a)

(b)

(c)

(d)

36.

is divisible by

- $(1 + x)^2$ (a) $(1 - x)^2$ (b)
 - (c) $1 2x x^2$
 - (d) $1 + 2x x^2$

20%

25%

50%

100%

(a)

, (b)

(c)

(d)

- A person sold an article for ₹ 75 which cost 40. him \gtrless x. He finds that he realised x% profit on his outlay. What is x equal to ?
- 37. If $\frac{x}{b+c} = \frac{y}{c+a} = \frac{z}{b-a}$, then which one of the following is correct? ar to (a) x + y + z = 0(b) x - y - z = 0(c) x + y - z = 0 $\mathbf{x} + 2\mathbf{y} + 3\mathbf{z} = \mathbf{0}$ (d)

The sum of the digits of a two digit number is

13 and the difference between the number and

that formed by reversing the digits is 27. What

is the product of the digits of the number?

DZOL-T-LKM



(15 - A)

Scanned by TapScanner

I.

41. A car did a journey in t hours. Had the 44. average speed been x kmph greater, the journey would have taken y hours less. How long was the journey?

- (a) x(t-y) ty
- (b) $x(t-y)ty^{-1}$
- (c) $x(t-y)ty^{-2}$
- (d) x(t + y) ty
- 42. When a ball is allowed to fall, the time it takes to fall any distance varies as the square root of the distance and it takes 4 seconds to fall 78.40 m. How long would it take to fall

The Euclidean algorithm is used to calculate square root of an integer the (a) cube root of an integer (b) square of an integer (c) HCF of two integers (d) If radius of a sphere is rational, then which of the following is/are correct? 45. Its surface area is rational. 1. Its volume is rational. Select the correct answer using the code given below : 1 only (a) A THE 2 only

(c) Both 1 and 2 122.50 m?

- 5 seconds (a)
- 5.5 seconds (b)
- 6 seconds (c)
- 6.5 seconds (d)

If $6^{3-4x} 4^{x+5} = 8$ (Given $\log_{10} 2 = 0.301$ and 43. $\log_{10} 3 = 0.477$), then which one of the following is correct ?

- 0 < x < 1 (a)
- 1 < x < 2(b)
- 2 < x < 3(c)

3<x<4 (d)

(d) Neither 1 nor 2 If cosec $\theta - \sin \theta = m$ and sec $\theta - \cos \theta = n$, then what is $m^3n^3 + m^3n^3$ equal to ?

. (a) 0 (b)

(b)

46.

- (c) mn
 - (d) m^2n^2
- If $\cos \theta + \sec \theta = k$, then what is the value of 47. $\sin^2\theta - \tan^2\theta$?
 - (a) 4-k $4 - k^2$ (b)
 - (c) $k^2 4$ (d) $k^2 + 2$

(17 - A)

1

DZOL-T-LKM



ABC is a triangle inscribed in a semicircle of 51. 48. diameter AB. What is $\cos (A + B) + \sin (A + B)$ The difference between two angles is 15° and the the sum of the angles in radian is $\frac{5\pi}{12}$. The (a) 0 bigger angle is k times the smaller angle. (b) What is k equal to ? (a) (c) ~ (d) (b) (c) Consider the following statements : 49. $\sin \theta = x + \frac{1}{x}$ is possible for some real (d) $\frac{7}{e}$ 1. value of x. 52. Consider the following statements : $\cos \theta = x + \frac{1}{x}$ is possible for some real 2. The equation $2\sin^2\theta - \cos\theta + 4 = 0$ is 1. value of x. possible for all θ .

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

50. What is the magnitude (in radian) of the interior angle of a regular pentagon ?

To C 2/2 - C C Con at

the same the state same of the second

(a)
$$\frac{\pi}{5}$$

(b) $\frac{2\pi}{5}$
(c) $\frac{3\pi}{5}$
(d) $\frac{4\pi}{5}$

5

E2.MStan θ + cot θ cannot be less than 2, where $0 < \theta < \frac{\pi}{2}$.

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2
- 53. A road curve is to be laid out on a circle. What radius should be used if the track is to change direction by 42° in distance of 44 m?
 (Assume π = 22/7)
 (a) 60 m
 (b) 66 m
 (c) 75 m
 (d) 80 m

(19 - A)

DZOL-T-LKM



Scanned by TapScanner

6004-7-1050

let's crack defence exams www.ssbcrackexams.com

THE MOST POPULAR DEFENCE EXAM APP OF ALL TIME

Prepare for defence exams like NDA, CDS, AFCAT, INET, TA, GROUP X&Y, MNS, ACC and more.



BEST FEATURES

SSBCrackExams is the exclusive online platform for the candidates aspiring to make the Nation proud.



DETAILED LECTURES

Start enjoying your learning experience by the rock-solid video lessons specially designed for your easy understanding & higher scores in the exam.



PYQAs & TEST SERIES

Get ready for your D-Day with unlimited practice papers & previous years' questions made easy with our insightful video classes & extra notes prepared



SMART ANALYTICS

Get your own personalized Performance Tracker where you can check your Learning Footprints, Digital Notes, All-India Ranking, Timed Tests, Mind-blowing Quizzes, Prompt Videos, quick & accurate Mock Test Results, Self-Analytic Progress Reports and more.





👼 www.ssbcrackexams.com

54.	Wha	at is the maxi	imum value	of 3 sir	$1\theta - 4$?	58
		- 4				
	. (b)	-1				
	(c)	0				
	(d)	1				
55.	If	$\sin \theta + \cos \theta$	$\theta = \sqrt{2},$	then	what	is
	sin	$^{3}\theta + \cos^{6}\theta +$	$6 \sin^2 \theta \cos^2 \theta$	² θ equa	al to ?	
	(a)	$\frac{1}{4}$				F
	(b)	$\frac{3}{4}$				
	(c)	1				
	(d)	$\frac{7}{4}$				

If cosec $\theta - \sin \theta = p^3$ and sec $\theta - \cos \theta = q^3$, 8. then what is the value of tan θ ?

(a)
$$\frac{p}{q}$$

(b) $\frac{q}{p}$
(c) pq
(d) p^2q^2

59. If $0 \le \alpha$, $\beta \le 90^{\circ}$ such that $\cos(\alpha - \beta) = 1$, then what is $\sin \alpha - \sin \beta + \cos \alpha - \cos \beta$ equal to?

(a) -1

(c)

-

(d) 2

What is the least value of 9 $\sin^2 \theta + 16 \cos^2 \theta$? 56.

~ 8 ×

- 0 , (a)
- 9 , (b)
 - (c) 16 (d) 25
- If $\cos 47^\circ + \sin 47^\circ = k$, then what is the value 57. of $\cos^2 47^\circ - \sin^2 47^\circ$? (a) $k\sqrt{2-k^2}$ $-k\sqrt{2-k^2}$ (b) $k\sqrt{1-k^2}$
- Consider the following statements : 60.
 - The value of cos 61° + sin 29° cannot 1. exceed 1.
 - The value of $\tan 23^\circ \cot 67^\circ$ is less 2. than 0.

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

DZOL-T-LKM

(c)

 $(d) - k\sqrt{1-k^2}$



(21 - A)



In a quadrilateral ABCD, $\angle B = 90^{\circ}$ and 64. 61. $AB^2 + BC^2 + CD^2 - AD^2 = 0$, then what is ∠ ACD equal to ? (a) 30°

- (b) 60°
- (c) 90°
- (d) 120°

In a \triangle ABC, AC = 12 cm, AB = 16 cm and AD 62. is the bisector of $\angle A$. If BD = 4 cm, then what is DC equal to ?

- 2 cm(a)

ABC is an equilateral triangle. The side BC is trisected at D such that BC = 3 BD. What is the ratio of AD² to AB² ?

(a)	7:9
(b)	1:3
(c)	5:7
(d)	1:2

- Consider the following statements : 65.
 - The diagonals of a trapezium divide each 1. other proportionally.
 - Any line drawn parallel to the parallel 2. sides of a trapezium divides the non-parallel sides proportionally.

- (b) 3 cm
- (c) 4 cm
- (d) 5 cm



12

- ABCD is a cyclic quadrilateral. The bisectors 63. of the angles A, B, C and D cut the circle at P, Q, R and S respectively. What is \angle PQR + \angle RSP equal to ?
 - 90° (a)
 - 135° (b)
- 180° (c)
 - 270° (d)

. Which of the above statements is/are correct?

- 1 only , (a)
 - 2 only (b)
 - Both 1 and 2 (c)
 - Neither 1 nor 2 (d)
- If H, C and V are respectively the height, 66. curved surface area and volume of a cone, then what is $3\pi VH^3 + 9V^2$ equal to?
 - C^2H^2 (a) $2 C^2 H^2$
 - (b) $5 C^2 H^2$ (c)
 - $7 C^2 H^2$ (d)

(23 - A)

DZOL-T-LKM



- How many solid lead balls each of diameter 71. 67. 2 mm can be made from a solid lead ball of radius 8 cm ?
 - 512 (a)
 - (b) 1024
 - (c) 256000
 - (d) 512000
- The two sides of a triangle are 40 cm and 68. 41 cm. If the perimeter of the triangle is 72. 90 cm, what is its area?
 - 90 cm^2 (a)
 - 135 cm^2 (b)
 - 150 cm^2 (c)
 - 180 cm^2 (d)

In a triangle, values of all the angles are integers (in degree measure). Which one of the following cannot be the proportion of their measures ?

(a)	1:2:3
(b)	3:4:5
(c)	5:6:7
(d)	6:7:8

The length of a rectangle is increased by 10% and breadth is decreased by 10%. Then the area of the new rectangle is

- neither increased nor decreased (a)
- increased by 1% (b)
- decreased by 1% (c)

(d) decreased by 10%

- The diagonals of a rhombus differ by 2 units
- 69. and its perimeter exceeds the sum of the 73. diagonals by 6 units. What is the area of the rhombus?
 - 48 square units (a)
 - 36 square units (b)
 - 24 square units (c)
 - 12 square units (d)
- What is the area of a right-angled triangle, if 70. the radius of the circumcircle is 5 cm and altitude drawn to the hypotenuse is 4 cm?
 - 20 cm^2 (a)
 - 18 cm^2 (b)
 - 16 cm^2 (c)
 - 10 cm^2 (d)

The surface areas of two spheres are in the ratio 1:4. What is the ratio of their volumes?

- 1:16 / (a) 1:12(b) 1:10 (c) 1:8 (d)
- The length, breadth and height of a brick are 74. 20 cm, 15 cm and 10 cm respectively. The number of bricks required to construct a wall with dimensions 45 m length, 0.15 m breadth and 3 m height is
 - 12450 (a)
 - 11250 (b)
 - . (c) 6750
 - None of the above (d)

DZOL-T-LKM

(25-A)



- 75. If the sum of all interior angles of a regular 78. polygon is twice the sum of all its exterior angles, then the polygon is
 - · (a) Hexagon
 - (b) Octagon
 - (c) Nonagon
 - (d) Decagon

- In a triangle ABC, if $2 \angle A = 3 \angle B = 6 \angle C$, then what is $\angle A + \angle C$ equal to?
- (a) 90°
 (b) 120°
 (c) 135°
 (d) 150°
- 76. A bicycle wheel makes 5000 revolutions in moving 11 km. What is the radius of the wheel? (Assume $\pi = \frac{22}{7}$)
- 79. If the perimeter of a circle and a square are equal, then what is the ratio of the area of the circle to that of the square ?

(a) $1:\pi$

,	(a)	17·5 cm	
	(b)	35 cm	
	(c)	70 cm	
	(d)	140 cm	

(b)	MS 2:π
(c)	3:π
, (d)	4:π

77. The volumes of two cones are in the ratio 1:4 and their diameters are in the ratio 4:5. What is the ratio of their heights?

(a) 25:64

(b) 16:25

(c) 9:16

(d) 5:9

DZOL-T-LKM

80. The lengths of the sides of a right-angled triangle are consecutive even integers (in cm). What is the product of these integers ?

(a) 60

(b)

(c)

(d)

120

360

480



(27-A)

- 81. A circle is inscribed in a triangle ABC. It touches the sides AB and AC at M and N respectively. If O is the centre of the circle and $\angle A = 70^{\circ}$, then what is \angle MON equal to ?
 - (a) 90°
 - (b) 100°
 - (c) 110°
 - (d) 120°

82. The sum of the squares of sides of a right-angled triangle is 8,450 square units. What is the length of its hypotenuse ?

Areas of two squares are in the ratio m² : n⁴. What is the ratio of their perimeters ?

- (a) m:n
- (b) n:m
- (c) $m: n^2$
- (d) $m^2: n$
- 85. AD is the median of the triangle ABC. If P is any point on AD, then which one of the following is correct ?
 - (a) Area of triangle PAB is greater than the area of triangle PAC
 - Area of triangle PAB is equal to area of

- (a) 50 units
- (b) 55 units
- (c) 60 units
- (d) 65 units

EXAM triangle PAC

(b)

- (c) Area of triangle PAB is one-fourth of the area of triangle PAC
- (d) Area of triangle PAB is half of the area of triangle PAC
- 83. A triangle and a parallelogram have equal areas and equal bases. If the altitude of the triangle is k times the altitude of the parallelogram, then what is the value of k?
 - (a) 4
 - (b) 2
 - (c) 1
 - (d) $\frac{1}{2}$

DZOL-T-LKM

What is the area of a segment of a circle of radius r subtending an angle θ at the centre ?

(a) $\frac{1}{2}r^2\theta$ (b) $\frac{1}{2}r^2\left(\theta-2\sin\frac{\theta}{2}\cos\frac{\theta}{2}\right)$ (c) $\frac{1}{2}r^2\left(\theta-\sin\frac{\theta}{2}\cos\frac{\theta}{2}\right)$ (d) $\frac{1}{2}r^2\sin\frac{\theta}{2}\cos\frac{\theta}{2}$



(29 - A)

87.

ABC is a triangle right-angled at C. Let P be 89. any point on AC and Q be any point on BC. Which of the following statements is/are

1.
$$AQ^2 + BP^2 = AB^2 + PQ^2$$

2.
$$AB = 2PQ$$

Select the correct answer using the code given below :

. . .

1 only (a)

- In The Read Provide the State of the State o 2 only (b)
- (c) Both 1 and 2

The radii of the flat circular faces of a bucket are x and 2x. If the height of the bucket is 3x, what is the capacity of the bucket ? (Assume $\pi = \frac{22}{\pi}$)

(a) $11x^3$

(b) $22x^3$

 $44x^3$ (c)

(d) 55x³

If p, q, r, s and t represent length, breadth, 90.

(d) Neither 1 nor 2

88. Four circular coins of equal radius are placed with their centres coinciding with four vertices of a square. Each coin touches two other coins. If the uncovered area of the square is 42 cm^2 , then what is the radius of each coin ? (Assume $\pi = \frac{22}{7}$)

> 5 cm (a)

7 cm . (b)

> 10 cm (c)

14 cm (d)

height, surface area and volume of a cuboid respectively, then what is $\frac{1}{p} + \frac{1}{q} + \frac{1}{r}$ equal to?

(a)
$$\frac{s}{t}$$

(b) $\frac{2t}{s}$
(c) $\frac{s}{2t}$
(d) $\frac{2s}{t}$

s

DZOL-T-LKM



(31 - A)

Scanned by TapScanner

91. Fifteen candidates appeared in an 94. examination. The marks of the candidates who passed in the examination are 9, 6, 7, 8, 8, 9, 6, 5, 4 and 7. What is the median of marks of all the fifteen candidates ?

- (a) 6
- · (b) 6.5
 - (c) 7
 - (d) 7.5

92. If the yield (in gm) of barley from 7 plots of size one square yard each, were found to be

When the class intervals have equal width, the height of a rectangle in a histogram represents

- (a) Width of the class
- (b) Lower class limit
- (c) Upper class limit
- [~](d) Frequency of the class
- 95. The ages of 7 family members are 2, 5, 12, 18, 38, 40 and 60 years respectively. After 5 years a new member aged x years is added. If the mean age of the family now goes up by

180, 191, 175, 111, 154, 141 and 176, then what is the median yield?

- (a) 111 gm
- (b) 154 gm
- . (c) 175 gm
 - (d) 176 gm

93. Which one of the following measures of central tendency will be used to determine the average size of the shoe sold in the shop ?

- (a) Arithmetic mean
- (b) Geometric mean
- (c) Median
- (d) Mode

1.5 years, then what is the value of x?

(a) 1
(b) 2
(c) 3
(d) 4

10

15

20

25

(a)

(b)

(c)

(d)

•

96. The mean weight of 100 students in a class is 46 kg. The mean weight of boys is 50 kg and that of girls is 40 kg. The number of boys exceeds the number of girls by


(33 - A)

DZOL-T-LKM



Scanned by TapScanner

What is the median of 2, 4, 6, ..., 100? What is the algebraic sum of the deviations 99. from the mean of a set of values 25, 65, 73, 75, 48 05. (a) . 853, 776, 17, 16, 7, 14 ? 49 (b) (III) - I (c) 50 51 1 (d) (D) 1 (0) 100. The harmonic mean and the geometric mean (2) of two numbers are 10 and 12 respectively. The mean of five observations x, x + 2, x + 4, $x \neq 6, x \neq 8$ is m. What is the mean of the first What is their arithmetic mean ? 198chree observations? 25 (a) 89 (4) **√120** (b) 8 SBCrack AP = 11 (29) 11



Scanned by TapScanner

let's crack defence exams www.ssbcrackexams.com

THE MOST POPULAR DEFENCE EXAM APP OF ALL TIME

Prepare for defence exams like NDA, CDS, AFCAT, INET, TA, GROUP X&Y, MNS, ACC and more.



BEST FEATURES

SSBCrackExams is the exclusive online platform for the candidates aspiring to make the Nation proud.



DETAILED LECTURES

Start enjoying your learning experience by the rock-solid video lessons specially designed for your easy understanding & higher scores in the exam.



PYQAs & TEST SERIES

Get ready for your D-Day with unlimited practice papers & previous years' questions made easy with our insightful video classes & extra notes prepared



SMART ANALYTICS

Get your own personalized Performance Tracker where you can check your Learning Footprints, Digital Notes, All-India Ranking, Timed Tests, Mind-blowing Quizzes, Prompt Videos, quick & accurate Mock Test Results, Self-Analytic Progress Reports and more.





👼 www.ssbcrackexams.com