

Courses

ACC (1) AFCAT (1) AIRMEN (2) CAPF (1) CDS EXAM (2) INET OFFICER (1) MNS (1) MOCK TEST (3) NDA EXAM (1) PC(SL) (1) SCO (1) SSB INTERVIEW (1) TERRITORIAL ARMY (1)

<p>HIGHEST RATED</p> <p>617 PEOPLE ONLINE NOW</p> <p>CDS Exam Online Course 2021 – 2022</p> <p>★★★★★ 5 (80)</p> <p>₹ 4,999.00</p>	<p>BEST SELLER</p> <p>997 PEOPLE ONLINE NOW</p> <p>CDS OTA Exam Online Course 2021 – 2022</p> <p>★★★★★ 5 (77)</p> <p>₹ 4,499.00</p>	<p>BEST SELLER</p> <p>206 PEOPLE ONLINE NOW</p> <p>AFCAT Exam Online Course 2022</p> <p>★★★★★ 5 (64)</p> <p>₹ 4,999.00</p>	<p>HIGHEST RATED</p> <p>561 PEOPLE ONLINE NOW</p> <p>NDA Exam Online Course 2021 – 2022</p> <p>★★★★★ 5 (72)</p> <p>₹ 4,999.00</p>	<p>HOT & NEW</p> <p>740 PEOPLE ONLINE NOW</p> <p>Territorial Army Exam Online Course 2021 – 2022</p> <p>★★★★★ 5 (53)</p> <p>₹ 4,999.00</p>	<p>HOT & NEW</p> <p>995 PEOPLE ONLINE NOW</p> <p>ACC Exam Online Course Army Cadet College 2021 – 2022</p> <p>★★★★★ 5 (53)</p> <p>₹ 6,999.00</p>
<p>HOT & NEW</p> <p>90 PEOPLE ONLINE NOW</p> <p>OIR Test and PPDT Online Course – Officers Intelligence Rating Test</p> <p>★★★★★ 5 (50)</p> <p>₹ 2,999.00</p>	<p>BEST SELLER</p> <p>98 PEOPLE ONLINE NOW</p> <p>MNS Military Nursing Service Exam Online Course 2022</p> <p>★★★★★ 5 (44)</p> <p>₹ 4,999.00</p>	<p>HOT & NEW</p> <p>37 PEOPLE ONLINE NOW</p> <p>AFCAT Exam Online Mock Test Series</p> <p>★★★★★ 5 (65)</p> <p>₹ 299.00</p>	<p>BEST SELLER</p> <p>36 PEOPLE ONLINE NOW</p> <p>CDS Exam Online Mock Test Series</p> <p>★★★★★ 5 (79)</p> <p>₹ 299.00</p>	<p>BEST SELLER</p> <p>18 PEOPLE ONLINE NOW</p> <p>NDA Exam Online Mock Test Series</p> <p>★★★★★ 5 (72)</p> <p>₹ 299.00</p>	<p>HOT & NEW</p> <p>37 PEOPLE ONLINE NOW</p> <p>UPSC CAPF Assistant Commandant Online Course 2022</p> <p>★★★★★ 5 (46)</p> <p>₹ 4,999.00</p>



1. If $\tan\theta = -\frac{5}{12}$, then what can be the value of $\sin\theta$?

(a) $\frac{5}{13}$ but cannot be $-\frac{5}{13}$

(b) $-\frac{5}{13}$ but cannot be $\frac{5}{13}$

(c) $\frac{5}{13}$ or $-\frac{5}{13}$

(d) None of the above

2. What is the value of

$\cos^4\frac{7\pi}{8} + \cos^4\frac{5\pi}{8}$?

(a) $\frac{3}{2}$

(b) $\frac{3}{4}$

(c) $\frac{3}{8}$

(d) $\frac{3}{16}$

3. What is $\sin^2\left(\frac{\pi}{4} + \theta\right) - \sin^2\left(\frac{\pi}{4} - \theta\right)$ equal to ?

(a) $\sin 2\theta$

(b) $\cos 2\theta$

(c) $2\sin\theta$

(d) $2\cos\theta$

4. A vertical tower stands on a horizontal plane and is surmounted by a vertical flagstaff of height h . At a point on the plane the angles of elevation of the bottom and top of the flagstaff are θ and 2θ respectively. What is the height of the tower ?

(a) $h\cos\theta$

(b) $h\sin\theta$

(c) $h\cos 2\theta$

(d) $h\sin 2\theta$

5. The shadow of a tower becomes x metre longer, when the angle of elevation of sun changes from 60° to θ . If the height of the tower is $\sqrt{3}x$ metre, then which one of the following is correct ?

(a) $0 < \theta < 30^\circ$

(b) $30^\circ < \theta < 45^\circ$

(c) $45^\circ < \theta < 60^\circ$

(d) $60^\circ < \theta < 90^\circ$

6. If $\tan^{-1}\left(\frac{1}{2}\right) + \tan^{-1}\left(\frac{x}{3}\right) = \frac{\pi}{4}$, where $0 < x < 6$, then what is x equal to ?

(a) 1

(b) 2

(c) 3

(d) 5

7. If $3\sin^{-1}x + \cos^{-1}x = \pi$, then what is x equal to ?

(a) 0

(b) $\frac{1}{2}$

(c) $\frac{1}{\sqrt{2}}$

(d) $\frac{1}{\sqrt{3}}$

8. If $\tan\alpha + \tan\beta = 1 - \tan\alpha \cdot \tan\beta$, where $\tan\alpha \cdot \tan\beta \neq 1$, then which of the following is one of the values of $(\alpha + \beta)$?

(a) $\frac{\pi}{6}$

(b) $\frac{\pi}{4}$

(c) $\frac{\pi}{3}$

(d) $\frac{\pi}{2}$

9. If $(1 + \tan\theta)(1 + \tan9\theta) = 2$, then what is the value of $\tan(10\theta)$?

(a) 0

(b) 1

(c) 2

(d) Infinite

10. What is the value of $\sin 0^\circ + \sin 10^\circ + \sin 20^\circ + \sin 30^\circ + \dots + \sin 360^\circ$?

(a) -1

(b) 0

(c) 1

(d) 2

11. Consider all the subsets of the set $A = \{1, 2, 3, 4\}$. How many of them are supersets of the set $\{4\}$?

(a) 6

(b) 7

(c) 8

(d) 9

12. Consider the following statements in respect of two non-empty sets A and B :

1. $x \notin (A \cup B) \Rightarrow x \notin A$ or $x \notin B$

2. $x \notin (A \cap B) \Rightarrow x \notin A$ and $x \notin B$

Which of the above statements is/are correct ?

(a) 1 only

(b) 2 only

(c) Both 1 and 2

(d) Neither 1 nor 2

13. Consider the following statements in respect of two non-empty sets A and B :

1. $A \cup B = A \cap B$ iff $A = B$
2. $A \Delta B = \varnothing$ iff $A = B$

Which of the above statements is/are correct ?

- (a) 1 only
 (b) 2 only
 (c) Both 1 and 2
 (d) Neither 1 nor 2

14. Consider the following statements in respect of the relation R in the set \mathbb{N} of natural numbers defined by xRy if $x^2 - 5xy + 4y^2 = 0$:

1. R is reflexive
2. R is symmetric
3. R is transitive

Which of the above statements is/are correct ?

- (a) 1 only
 (b) 2 only
 (c) 1 and 2 only
 (d) 1, 2 and 3

15. Consider the following statements in respect of any relation R on a set A :

1. If R is reflexive, then R^{-1} is also reflexive
2. If R is symmetric, then R^{-1} is also symmetric
3. If R is transitive, then R^{-1} is also transitive

Which of the above statements are correct ?

- (a) 1 and 2 only
 (b) 2 and 3 only
 (c) 1 and 3 only
 (d) 1, 2 and 3

16. If $\Delta_1 = \begin{vmatrix} 1 & p & q \\ 1 & q & r \\ 1 & r & p \end{vmatrix}$ and $\Delta_2 = \begin{vmatrix} 1 & 1 & 1 \\ q & r & p \\ r & p & q \end{vmatrix}$

where $p \neq q \neq r$, then $\Delta_1 + \Delta_2$ is

- (a) 0
 (b) always positive
 (c) always negative

(d) positive if p, q, r are positive else negative

17. If $(a-b)(b-c)(c-a) = 2$ and $abc = 6$, then what is the value of

$$\begin{vmatrix} a & b & c \\ a^2 & b^2 & c^2 \\ a^3 & b^3 & c^3 \end{vmatrix} ?$$

- (a) 3
 (b) 12
 (c) 14
 (d) 15

18. Under which of the following conditions does the determinant

$$\begin{vmatrix} a & b & c \\ b & c & a \\ c & a & b \end{vmatrix} \text{ vanish ?}$$

1. $a + b + c = 0$
2. $a^3 + b^3 + c^3 = 3abc$
3. $a^2 + b^2 + c^2 - ab - bc - ca = 0$

Select the correct answer using the code given below :

- (a) 1 and 2 only
- (b) 2 and 3 only
- (c) 1 and 3 only
- (d) 1, 2 and 3

19. Consider the following in respect of the matrices :

$$A = [m \ n], B = [-n \ -m] \text{ and } C = \begin{bmatrix} m \\ -m \end{bmatrix}$$

1. $CA = CB$
2. $AC = BC$
3. $C(A + B) = CA + CB$

Which of the above statements is/are correct ?

- (a) 1 only
- (b) 2 only
- (c) 2 and 3
- (d) 1 and 2

20. If $A = \begin{bmatrix} 2 \sin \theta & \cos \theta & 0 \\ -2 \cos \theta & \sin \theta & 0 \\ -1 & 1 & 1 \end{bmatrix}$, then

what is $A(\text{adj}A)$ equal to ?

- (a) Null matrix
- (b) $-I$
- (c) I
- (d) $2I$

where I is the identity matrix.

21. For what value of k is the matrix

$$\begin{bmatrix} 2 \cos 2\theta & 2 \cos 2\theta & 6 \\ 1 - 2 \sin^2 \theta & 2 \cos^2 \theta - 1 & 3 \\ k & 2k & 1 \end{bmatrix}$$

singular ?

- (a) 0 only
- (b) 1 only
- (c) 2 only
- (d) Any real value

22. Let A be a non-singular matrix and $B = \text{adj}A$. Which of the following statements is/are correct ?

1. $AB = BA$
2. AB is a scalar matrix
3. AB can be a null matrix

Select the correct answer using the code given below :

- (a) 1 only
- (b) 1 and 2 only
- (c) 2 only
- (d) 1, 2 and 3

23. Consider the following statements in respect of square matrices A and B of same order :

1. If AB is a null matrix, then at least one of A and B is a null matrix.
2. If AB is an identity matrix, then $BA = AB$.

Which of the above statements is/are correct ?

- (a) 1 only
 (b) 2 only
 (c) Both 1 and 2
 (d) Neither 1 nor 2

24. If A is the identity matrix of order 3 and B is its transpose, then what is the value of the determinant of the matrix $C = A + B$?

- (a) 1
 (b) 2
 (c) 4
 (d) 8

25. Let A and B be non-singular matrices of the same order such that $AB = A$ and $BA = B$. Which of the following statements is/are correct ?

1. $A^2 = A$
2. $AB^2 = A^2B$

Select the correct answer using the code given below :

- (a) 1 only
 (b) 2 only
 (c) Both 1 and 2
 (d) Neither 1 nor 2

26. How many terms are there in the

expansion of $\left(1 + \frac{2}{x}\right)^9 \left(1 - \frac{2}{x}\right)^9$?

- (a) 9
 (b) 10
 (c) 19
 (d) 20

27. Consider the following statements in respect of the expansion of $(x + y)^{10}$:

1. Among all the coefficients of the terms, the coefficient of the 6th term has the highest value
2. The coefficient of the 3rd term is equal to coefficient of the 9th term

Which of the above statements is/are correct ?

- (a) 1 only
 (b) 2 only
 (c) Both 1 and 2
 (d) Neither 1 nor 2

28. If $C(3n, 2n) = C(3n, 2n-7)$, then what is the value of $C(n, n-5)$?


- (a) 42
 (b) 35
 (c) 28
 (d) 21

29. What is the value of

$$C(51, 21) - C(51, 22) + C(51, 23) - C(51, 24) + C(51, 25) - C(51, 26) + C(51, 27) - C(51, 28) + C(51, 29) - C(51, 30) ?$$

- (a) $C(51, 25)$
- (b) $C(51, 27)$
- (c) $C(51, 51) - C(51, 0)$
- (d) $C(51, 25) - C(51, 27)$

30. How many odd numbers between 300 and 400 are there in which none of the digits is repeated ?

- 
- (a) 32
 - (b) 36
 - (c) 40
 - (d) 45

31. What is the principal argument of $\frac{1}{1+i}$ where $i = \sqrt{-1}$?

- (a) $-\frac{3\pi}{4}$
- (b) $-\frac{\pi}{4}$
- (c) $\frac{\pi}{4}$
- (d) $\frac{3\pi}{4}$

32. What is the modulus of

$$\left(\frac{\sqrt{-3}}{2} - \frac{1}{2}\right)^{200} ?$$

- (a) $\frac{1}{4}$
- (b) $\frac{1}{2}$
- (c) 1
- (d) 2^{200}

33. Consider the following statements :

1. $\frac{n!}{3!}$ is divisible by 6, where $n > 3$
2. $\frac{n!}{3!} + 3$ is divisible by 7, where $n > 3$

Which of the above statements is/are correct ?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

34. In how many ways can a team of 5 players be selected out of 9 players so as to exclude two particular players ?

- (a) 14
- (b) 21
- (c) 35
- (d) 42

35. In the expansion of $\left(x + \frac{1}{x}\right)^{2n}$, what is the $(n+1)$ th term from the end (when arranged in descending powers of x)?

- (a) $C(2n, n)x$
- (b) $C(2n, n-1)x$
- (c) $C(2n, n)$
- (d) $C(2n, n-1)$

36. If the sum of the first 9 terms of an AP is equal to sum of the first 11 terms, then what is the sum of the first 20 terms?

- (a) 20
- (b) 10
- (c) 2
- (d) 0

37. If the 5th term of an AP is $\frac{1}{10}$ and its 10th term is $\frac{1}{5}$, then what is the sum of first 50 terms?

- (a) 25
- (b) 25.5
- (c) 26
- (d) 26.5

38. What is $(1110011)_2 \div (10111)_2$ equal to?

- (a) $(101)_2$
- (b) $(1001)_2$
- (c) $(111)_2$
- (d) $(1011)_2$

39. If $x^3 + y^3 = (100010111)_2$ and $x + y = (11111)_2$, then what is $(x - y)^2 + xy$ equal to?

- (a) $(1101)_2$
- (b) $(1001)_2$
- (c) $(1011)_2$
- (d) $(1111)_2$

40. Consider the inequations

$5x - 4y + 12 < 0$, $x + y < 2$, $x < 0$ and $y > 0$. Which one of the following points lies in the common region?

- (a) $(0, 0)$
- (b) $(-2, 4)$
- (c) $(-1, 4)$
- (d) $(-1, 2)$

41. Consider the following statements in respect of the function $y = [x]$, $x \in (-1, 1)$ where $[.]$ is the greatest integer function:

1. Its derivative is 0 at $x = 0.5$
2. It is continuous at $x = 0$

Which of the above statements is/are correct?

- (a) 1 only
- (b) 2 only
- (c) Both 1 and 2
- (d) Neither 1 nor 2

42. What is the degree of the differential

$$\text{equation } 1 + \left(\frac{dy}{dx}\right)^2 = \left(\frac{d^2y}{dx^2}\right)^{\frac{4}{3}} ?$$

(a) $\frac{4}{3}$

(b) 2

(c) 3

(d) 4

43. A radioactive substance decays at a rate proportional to the amount of substance present. If half of the substance decays in 100 years, then what is the decay constant (proportionality constant) ?

(a) $\frac{\ln 2}{100}$

(b) $\frac{\ln 5}{100}$

(c) $\frac{\ln 10}{100}$

(d) $\frac{2 \ln 2}{100}$

44. What is the domain of the function

$$f(x) = \sqrt{1 - (x-1)^2} ?$$

(a) (0, 1)

(b) [-1, 1]

(c) (0, 2)

(d) [0, 2]

45. The area of the region bounded by the parabola $y^2 = 4kx$, where $k > 0$ and its latus rectum is 24 square units. What is the value of k ?

(a) 1

(b) 2

(c) 3

(d) 4

46. How many permutations are there of the letters of the word 'TIGER' in which the vowels should not occupy the even positions ?

(a) 72

(b) 36

(c) 18

(d) 12

47. Let α and β be the roots of the equation $x^2 + px + q = 0$. If α^3 and β^3 are the roots of the equation $x^2 + mx + n = 0$, then what is the value of $m + n$?

(a) $p^3 + q^3 + pq$

(b) $p^3 + q^3 - pq$

(c) $p^3 + q^3 + 3pq$

(d) $p^3 + q^3 - 3pq$

48. Let α and β be the roots of the equation $x^2 - ax - bx + ab - c = 0$. What is the quadratic equation whose roots are a and b ?

- (a) $x^2 - ax - \beta x + \alpha\beta + c = 0$
- (b) $x^2 - ax - \beta x + \alpha\beta - c = 0$
- (c) $x^2 + ax + \beta x + \alpha\beta + c = 0$
- (d) $x^2 + ax + \beta x + \alpha\beta - c = 0$

49. If the roots of the equation $x^2 - ax - bx - cx + bc + ca = 0$ are equal, then which one of the following is correct?

- (a) $a + b + c = 0$
- (b) $a - b + c = 0$
- (c) $a + b - c = 0$
- (d) $-a + b + c = 0$

50. Let α and β ($\alpha > \beta$) be the roots of the equation $x^2 - 8x + q = 0$. If $\alpha^2 - \beta^2 = 16$, then what is the value of q ?

- (a) -15
- (b) -10
- (c) 10
- (d) 15

51. What is the maximum value of n such that 5^n divides $(30! + 35!)$, where n is a natural number?

- (a) 4
- (b) 6
- (c) 7
- (d) 8

52. What is the value of

$$2(2 \times 1) + 3(3 \times 2 \times 1) + 4(4 \times 3 \times 2 \times 1) + 5(5 \times 4 \times 3 \times 2 \times 1) + \dots + 9(9 \times 8 \times 7 \times 6 \times 5 \times 4 \times 3 \times 2 \times 1) + 2?$$

- (a) 11!
- (b) 10!
- (c) 10+10!
- (d) 11+10!

53. If $A = \{\{1, 2, 3\}\}$, then how many elements are there in the power set of A ?

- (a) 1
- (b) 2
- (c) 4
- (d) 8

54. If a, b, c are in GP where $a > 0, b > 0, c > 0$, then which of the following are correct?

1. a^2, b^2, c^2 are in GP
2. $\frac{1}{a}, \frac{1}{b}, \frac{1}{c}$ are in GP
3. $\sqrt{a}, \sqrt{b}, \sqrt{c}$ are in GP

Select the correct answer using the code given below:

- (a) 1 and 2 only
- (b) 2 and 3 only
- (c) 1 and 3 only
- (d) 1, 2 and 3

55. If $\frac{a+b}{2}$, b , $\frac{b+c}{2}$ are in HP,
then which one of the following is correct?

(a) a, b, c are in AP

(b) a, b, c are in GP

(c) $a+b, b+c, c+a$ are in GP

(d) $a+b, b+c, c+a$ are in AP

(a) $\frac{1}{3}$

(b) $\frac{2}{3}$

(c) $\frac{3}{4}$

(d) $\frac{3}{5}$

56. What is value of $\cot^2 15^\circ + \tan^2 15^\circ$?

(a) 12

(b) 14

(c) $8\sqrt{3}$

(d) 4

59. If $\tan(45^\circ + \theta) = 1 + \sin 2\theta$, where
 $-\frac{\pi}{4} < \theta < \frac{\pi}{4}$, then what is the value of
 $\cos 2\theta$?

(a) 0

(b) $\frac{1}{2}$

(c) 1

(d) 2

57. In a triangle ABC ,
 $\sin A - \cos B - \cos C = 0$.
What is angle B equal to?

(a) $\frac{\pi}{6}$

(b) $\frac{\pi}{4}$

(c) $\frac{\pi}{3}$

(d) $\frac{\pi}{2}$

60. Let $\sin 2\theta = \cos 3\theta$, where θ is acute angle. What is the value of $1 + 4\sin \theta$?

(given that $\sin 18^\circ = \frac{\sqrt{5}-1}{4}$)

(a) $\sqrt{3}$

(b) 2

(c) $\sqrt{5}$

(d) 3

58. If $\alpha + \beta = \frac{\pi}{4}$ and $2\tan \alpha = 1$, then what
is $\tan 2\beta$ equal to?



SSBCrack EXAMS

Consider the following for the next **three (03)** items that follow :

The plane $6x + ky + 3z - 12 = 0$ where $k \neq 0$ meets the coordinate axes at A , B and C respectively. The equation of the sphere passing through the origin and A , B , C is $x^2 + y^2 + z^2 - 2x - 3y - 4z = 0$.

61. What is the value of k ?

- (a) 3
- (b) 4
- (c) 6
- (d) 12

62. If p is the perpendicular distance from the centre of the sphere to the plane, then which one of the following is correct?

- (a) $0 < p < 0.5$
- (b) $0.5 < p < 1$
- (c) $1 < p < 1.5$
- (d) $p > 1.5$

63. What is the equation of the line through the origin and the centre of the sphere?

- (a) $x = y = z$
- (b) $2x = 3y = 4z$
- (c) $6x = 3y = 4z$
- (d) $6x = 4y = 3z$

Consider the following for the next **two (02)** items that follow :

Let the plane $\frac{2x}{k} + \frac{2y}{3} + \frac{z}{3} = 2$ pass through the point $(2, 3, -6)$.

64. What are the direction ratios of a normal to the plane?

- (a) $\langle 3, 2, 1 \rangle$
- (b) $\langle 2, 3, 6 \rangle$
- (c) $\langle 6, 3, 2 \rangle$
- (d) $\langle 1, 2, 3 \rangle$

65. If p , q and r are the intercepts made by the plane on the coordinate axes respectively, then what is $(p + q + r)$ equal to?

- (a) 10
- (b) 11
- (c) 12
- (d) 13

66. If $4\hat{i} + \hat{j} - 3\hat{k}$ and $p\hat{i} + q\hat{j} - 2\hat{k}$ are collinear vectors, then what are the possible values of p and q respectively?

- (a) 4, 1
- (b) 1, 4
- (c) $\frac{8}{3}, \frac{2}{3}$
- (d) $\frac{2}{3}, \frac{8}{3}$

67. If $\vec{a}, \vec{b}, \vec{c}$ are the position vectors of the vertices A, B, C respectively of a triangle ABC and G is the centroid of the triangle, then what is \vec{AG} equal to?

(a) $\frac{\vec{a} + \vec{b} + \vec{c}}{3}$

(b) $\frac{2\vec{a} - \vec{b} - \vec{c}}{3}$

(c) $\frac{\vec{b} + \vec{c} - 2\vec{a}}{3}$

(d) $\frac{\vec{a} - 2\vec{b} - 2\vec{c}}{3}$

68. Consider the following statements :

1. Dot product over vector addition is distributive
2. Cross product over vector addition is distributive
3. Cross product of vectors is associative

Which of the above statements is/are correct? :

(a) 1 only

(b) 2 only

(c) 1 and 2 only

(d) 1, 2 and 3

69. Let $\vec{a}, \vec{b}, \vec{c}$ be three non-zero vectors such that $\vec{a} \times \vec{b} = \vec{c}$. Consider the following statements :

1. \vec{a} is unique if \vec{b} and \vec{c} are given

2. \vec{c} is unique if \vec{a} and \vec{b} are given

Which of the above statements is/are correct?

(a) 1 only

(b) 2 only

(c) Both 1 and 2

(d) Neither 1 nor 2

70. Let \vec{a} and \vec{b} be two unit vectors such that $|\vec{a} - \vec{b}| < 2$. If 2θ is the angle between \vec{a} and \vec{b} , then which one of the following is correct?

(a) $0 < \sin\theta < 1$ only

(b) $-\frac{1}{2} < \sin\theta < \frac{1}{2}$ only

(c) $-1 < \sin\theta < 0$ only

(d) $-1 < \sin\theta < 1$

71. Two digits out of 1, 2, 3, 4, 5 are chosen at random and multiplied together. What is the probability that the last digit in the product appears as 0?

(a) $\frac{1}{10}$

(b) $\frac{1}{5}$

(c) $\frac{2}{5}$

(d) $\frac{4}{5}$

72. The frequency curve (assuming unimodal) corresponding to the data obtained in an experiment is skewed to the left. What conclusion can be drawn from the curve?

- (a) Mean > Median > Mode
- (b) Mean > Mode > Median
- (c) Median > Mean > Mode
- (d) Mode > Median > Mean

73. The variance of five positive observations is 3.6. If four of the observations are 2, 2, 4, 5 then what is the remaining observation?

- (a) 4
- (b) 5
- (c) 7
- (d) 9

74. What is the arithmetic mean of 50 terms of an AP with first term 4 and common difference 4?

- (a) 50
- (b) 51
- (c) 100
- (d) 102

75. What is the coefficient of mean deviation of 21, 34, 23, 39, 26, 37, 40, 20, 33, 27 (taken from mean)?

- (a) 0.11
- (b) 0.22
- (c) 0.33
- (d) 0.44

76. What is $\int_0^{\frac{\pi}{4}} \frac{dx}{(\sin x + \cos x)^2}$ equal to?

- (a) $-\frac{1}{2}$
- (b) $\frac{1}{2}$
- (c) 1
- (d) $\frac{3}{2}$

77. What is $\int (\sin x)^{-1/2} (\cos x)^{-3/2} dx$ equal to?

- (a) $\sqrt{\tan x} + c$
- (b) $2\sqrt{\tan x} + c$
- (c) $\sqrt{\cot x} + c$
- (d) $\sqrt{2 \tan x} + c$



SSBCrack EXAMS

78. If $I_1 = \int \frac{e^x dx}{e^x + e^{-x}}$ and $I_2 = \int \frac{dx}{e^{2x} + 1}$,
then what is $I_1 + I_2$ equal to ?

(a) $\frac{x}{2} + c$

(b) $x + c$

(c) $\ln(e^x + e^{-x}) + c$

(d) $\ln(e^x - e^{-x}) + c$

79. What is $\int_{-2}^{-1} \frac{x}{|x|} dx$ equal to ?

(a) -2

(b) -1

(c) 1

(d) 2

80. How many extreme values does
 $\sin 4x + 2x$, where $0 < x < \frac{\pi}{2}$ have ?

(a) 1

(b) 2

(c) 4

(d) 8

81. What is the maximum value of the
function $f(x) = \frac{1}{\tan x + \cot x}$, where
 $0 < x < \frac{\pi}{2}$?

(a) $\frac{1}{4}$

(b) $\frac{1}{2}$

(c) 1

(d) 2

82. If

$$4f(x) - f\left(\frac{1}{x}\right) = \left(2x + \frac{1}{x}\right)\left(2x - \frac{1}{x}\right),$$

then what is $f(2)$ equal to ?

(a) 0

(b) 1

(c) 2

(d) 4

83. If $f(x) = 4x + 3$, then what is $f \circ f \circ f(-1)$
equal to ?

(a) -1

(b) 0

(c) 1

(d) 2

84. If $x^y y^x = 1$, then what is $\frac{dy}{dx}$ at $(1, 1)$
equal to ?

(a) -1

(b) 0

(c) 1

(d) 4

85. If $y = (x^x)^x$, then what is the value of $\frac{dy}{dx}$ at $x = 1$?

- (a) $\frac{1}{2}$
- (b) 1
- (c) 2
- (d) 4

86. Let $y = [x + 1]$, $-4 < x < -3$ where $[.]$ is the greatest integer function. What is the derivative of y with respect to x at $x = -3.5$?

- (a) -4
- (b) -3.5
- (c) -3
- (d) 0

87. If $\frac{dy}{dx} = (\ln 5)y$ with $y(0) = \ln 5$, then what is $y(1)$ equal to ?

- (a) 0
- (b) 5
- (c) $2\ln 5$
- (d) $5\ln 5$

88. Consider the following in respect of the function $f(x) = 10^x$:

1. Its domain is $(-\infty, \infty)$
2. It is a continuous function
3. It is differentiable at $x = 0$

Which of the above statements are correct ?

- (a) 1 and 2 only
- (b) 2 and 3 only
- (c) 1 and 3 only
- (d) 1, 2 and 3

89. What is $\lim_{x \rightarrow 0} x^3 (\operatorname{cosec} x)^2$ equal to ?

- (a) 0
- (b) $\frac{1}{2}$
- (c) 1
- (d) Limit does not exist

90. What is $\lim_{x \rightarrow 1} \frac{x^3 - 1}{\sqrt{x} - 1}$ equal to ?

- (a) 0
- (b) 3
- (c) 6
- (d) Limit does not exist

Consider the following for the next **three (03)** items that follow :

The algebraic sum of the deviations of a set of values $x_1, x_2, x_3, \dots, x_n$ measured from 100 is -20 and the algebraic sum of the deviations of the same set of values measured from 92 is 140.

91. What is the mean of the values ?

- (a) 91
- (b) 96
- (c) 98
- (d) 99

92. What is the algebraic sum of the deviations of the same set of values measured from 99 ?

- (a) 0
- (b) 10
- (c) 20
- (d) 40

93. If the algebraic sum of the deviations of the same set of values measured from y is 180, then what is the value of y ?

- (a) 80
- (b) 85
- (c) 90
- (d) 95

Consider the following data for the next **three (03)** items that follow :

The marks obtained by 51 students in a class are in AP with its first term 4 and common difference 3.

94. What is the mean of the marks ?

- (a) 67
- (b) 71
- (c) 75
- (d) 79

95. What is the median of the marks ?

- (a) 79.5
- (b) 79
- (c) 78.5
- (d) 77

96. What is the sum of the deviations measured from the median ?

- (a) -1
- (b) 0
- (c) 1
- (d) 2

Consider the following data for the next **three (03)** items that follow :

There are 90 applicants for a job. Some of them are graduates. Some of them have less than three years experience.

	Number of graduates	Number of non-graduates
At least 3 years experience	18	9
Less than 3 years experience	36	27

Let G be the event that the first applicant interviewed is a graduate and T be the event that first applicant interviewed has at least 3 years experience.

97. What is $P(G \cap \bar{T})$ equal to ?

- (a) $\frac{1}{5}$
- (b) $\frac{2}{5}$
- (c) $\frac{3}{5}$
- (d) $\frac{4}{5}$

98. What is $P(G|\bar{T})$ equal to ?

(a) $\frac{2}{7}$

(b) $\frac{3}{7}$

(c) $\frac{4}{7}$

(d) $\frac{5}{7}$

(c) $\frac{10}{243}$

(d) $\frac{160}{729}$

99. What is $P(\bar{T}|\bar{G})$ equal to ?

(a) $\frac{1}{4}$

(b) $\frac{1}{3}$

(c) $\frac{3}{5}$

(d) $\frac{3}{4}$

(a) $\frac{665}{729}$

(b) $\frac{64}{729}$

(c) $\frac{4}{243}$

(d) $\frac{1}{729}$

101. What is the probability that no one out of 6 workers suffers from a disease ?

102. What is the probability that at least one out of 6 workers suffer from a disease ?

Consider the following data for the next **three (03)** items that follow :

The incidence of suffering from a disease among workers in an industry has a chance of $33\frac{1}{3}\%$.

100. What is the probability that exactly 3 out of 6 workers suffer from a disease ?

(a) $\frac{80}{729}$

(b) $\frac{10}{81}$

(a) $\frac{728}{729}$

(b) $\frac{665}{729}$

(c) $\frac{653}{729}$

(d) $\frac{596}{729}$



SSBCrack EXAMS

Consider the following frequency distribution for the next **three (03)** items that follow :

Class	0-20	20-40	40-60	60-80	80-100
Frequency	17	$p+q$	32	$p-3q$	19

The total frequency is 120. The mean is 50.

103. What is the value of p ?

- (a) 25
- (b) 26
- (c) 27
- (d) 28

$$\frac{20+p+q}{2} + \frac{20+p-3q}{2}$$

$$f(x) = \frac{m}{x} + 2nx + 1$$

$$f(2) = \frac{m}{2} + 4n + 1$$

$$= \frac{m+8n+2}{2}$$

$$40 + 2p - 2q = \frac{m+8n+2}{2}$$

$$2(40 + 2(p-q)) = m+8n+2$$

$$80 + 4(p-q) = m+8n+2$$

$$80 + 4p - 4q = m+8n+2$$

$$78 + 4p - 4q = m+8n$$

104. What is the value of q ?

- (a) 1
- (b) 2
- (c) 3
- (d) 4

105. If the frequency of each class is doubled, then what would be the mean ?

- (a) 25
- (b) 50
- (c) 75
- (d) 100

106. In which one of the following intervals is the function $f(x) = \frac{x^3}{3} - \frac{7x^2}{2} + 6x + 5$ decreasing ?

- (a) $(-\infty, 1)$ only
- (b) (1, 6)
- (c) $(6, \infty)$ only
- (d) $(-\infty, 1) \cup (6, \infty)$

107. If the derivative of the function $f(x) = \frac{m}{x} + 2nx + 1$ vanishes at $x=2$, then what is the value of $m + 8n$?

- (a) -2
- (b) 0
- (c) 2
- (d) Cannot be determined due to insufficient data

108. What is the area included in the first quadrant between the curves $y=x$ and $y=x^3$?

- (a) $\frac{1}{8}$ square unit
- (b) $\frac{1}{4}$ square unit
- (c) $\frac{1}{2}$ square unit
- (d) 1 square unit

109. If $xy = 4225$ where x, y are natural numbers, then what is the minimum value of $x + y$?

- (a) 130
- (b) 260
- (c) 2113
- (d) 4226

110. What does the equation $x \frac{dy}{dx} - 2y = 0$ represent ?

- (a) A family of straight lines
- (b) A family of circles
- (c) A family of parabolas
- (d) A family of ellipses

111. If the points with coordinates $(-5, 0)$, $(5p^2, 10p)$ and $(5q^2, 10q)$ are collinear, then what is the value of pq where $p \neq q$?

- (a) -2
- (b) -1
- (c) 1
- (d) 2

112. What is the equation of the straight line which passes through the point $(1, -2)$ and cuts off equal intercepts from the axes ?

- (a) $x + y - 1 = 0$
- (b) $x - y - 1 = 0$
- (c) $x + y + 1 = 0$
- (d) $x - y - 2 = 0$

113. What is the equation of the circle which touches both the axes in the first quadrant and the line $y - 2 = 0$?

- (a) $x^2 + y^2 - 2x - 2y - 1 = 0$
- (b) $x^2 + y^2 + 2x + 2y + 1 = 0$
- (c) $x^2 + y^2 - 2x - 2y + 1 = 0$
- (d) $x^2 + y^2 - 4x - 4y + 4 = 0$

114. What is the equation of the parabola with focus $(-3, 0)$ and directrix $x - 3 = 0$?

- (a) $y^2 = 3x$
- (b) $x^2 = 12y$
- (c) $y^2 = 12x$
- (d) $y^2 = -12x$

$$\sqrt{b^2 - \frac{b^2}{a^2}}$$
$$\sqrt{a} = 3$$

115. What is the distance between the foci of the ellipse $x^2 + 2y^2 = 1$?

- (a) 1
- (b) $\sqrt{2}$
- (c) 2
- (d) $2\sqrt{2}$

116. Let a, b, c be the lengths of sides BC, CA, AB respectively of a triangle ABC . If p is the perimeter and q is the area of the triangle, then what is

$p(p - 2a) \tan\left(\frac{A}{2}\right)$ equal to ?

- (a) q
- (b) $2q$
- (c) $3q$
- (d) $4q$

117. A straight line passes through the point of intersection of $x + 2y + 2 = 0$ and $2x - 3y - 3 = 0$. It cuts equal intercepts in the fourth quadrant. What is the sum of the absolute values of the intercepts?

(a) 2

(b) 3

(c) 4

(d) 6

118. Under which one of the following conditions are the lines $ax + by + c = 0$ and $bx + ay + c = 0$ parallel ($a \neq 0$, $b \neq 0$)?

(a) $a - b = 0$ only

(b) $a + b = 0$ only

(c) $a^2 - b^2 = 0$

(d) $ab + 1 = 0$

119. What is the equation of the locus of the mid-point of the line segment obtained by cutting the line $x + y = p$, (where p is a real number) by the coordinate axes?

(a) $x - y = 0$

(b) $x + y = 0$

(c) $x - y = p$

(d) $x + y = p$

120. If the point (x, y) is equidistant from the points $(2a, 0)$ and $(0, 3a)$ where $a > 0$, then which one of the following is correct?

(a) $2x - 3y = 0$

(b) $3x - 2y = 0$

(c) $4x - 6y + 5a = 0$

(d) $4x - 6y - 5a = 0$



SSB Crack EXAMS

Courses

ACC (1) AFCAT (1) AIRMEN (2) CAPF (1) CDS EXAM (2) INET OFFICER (1) MNS (1) MOCK TEST (3) NDA EXAM (1) PC(SL) (1) SCO (1) SSB INTERVIEW (1) TERRITORIAL ARMY (1)



HIGHEST RATED

517 PEOPLE ONLINE NOW

CDS Exam Online Course 2021 – 2022

★★★★★ 5 (80)

₹ 4,999.00



BEST SELLER

997 PEOPLE ONLINE NOW

CDS OTA Exam Online Course 2021 – 2022

★★★★★ 5 (77)

₹ 4,499.00



BEST SELLER

206 PEOPLE ONLINE NOW

AFCAT Exam Online Course 2022

★★★★★ 5 (64)

₹ 4,999.00



HIGHEST RATED

561 PEOPLE ONLINE NOW

NDA Exam Online Course 2021 – 2022

★★★★★ 5 (72)

₹ 4,999.00



HOT & NEW

740 PEOPLE ONLINE NOW

Territorial Army Exam Online Course 2021 – 2022

★★★★★ 5 (53)

₹ 4,999.00



HOT & NEW

995 PEOPLE ONLINE NOW

ACC Exam Online Course Army Cadet College 2021 – 2022

★★★★★ 5 (53)

₹ 6,999.00



HOT & NEW

90 PEOPLE ONLINE NOW

OIR Test and PPDT Online Course – Officers Intelligence Rating Test

★★★★★ 5 (50)

₹ 2,999.00



BEST SELLER

98 PEOPLE ONLINE NOW

MNS Military Nursing Service Exam Online Course 2022

★★★★★ 5 (44)

₹ 4,999.00



HOT & NEW

37 PEOPLE ONLINE NOW

AFCAT Exam Online Mock Test Series

★★★★★ 5 (65)

₹ 299.00




BEST SELLER

36 PEOPLE ONLINE NOW

CDS Exam Online Mock Test Series

★★★★★ 5 (79)

₹ 299.00



BEST SELLER

18 PEOPLE ONLINE NOW

NDA Exam Online Mock Test Series

★★★★★ 5 (72)

₹ 299.00



HOT & NEW

37 PEOPLE ONLINE NOW

UPSC CAPF Assistant Commandant Online Course 2022

★★★★★ 5 (46)

₹ 4,999.00

