NDA-CDS-AFCAT 2024 **TOP 25 MCOS** GEOGRAPH **BIODIVERSITY** PART 2

RUBY MA'AM

SSBCrack

When A Threatened Plant Needs Urgent Measures To Save It From Extinction, The Desirable Approach Is

- A. In-situ Conservation
- B. Ex-situ Conservation
- C. Cryopreservation
- D. Biopreservation

When A Threatened Plant Needs Urgent Measures To Save It From Extinction, The Desirable Approach Is

- A. In-situ Conservation
- **B. Ex-situ Conservation**
- C. Cryopreservation
- D. Biopreservation

Ex-situ conservation involves the removal of endangered plant species from their natural habitat and their preservation in controlled environments outside of their native ecosystems. This approach is beneficial when a plant species is critically endangered or when threats to its survival in the wild are imminent.

Which Of The Following Are Some Important Pollutants Released By Steel Industry In India

- 1) Oxides of Sulphur
- 3) Carbon monoxide

2) Oxides of nitrogen4) Carbon dioxide

- A. 1,2,3
- B. 2&3
- C. 1, 3, 4
- D. All Of The Above

Which Of The Following Are Some Important Pollutants Released By Steel Industry In India

- 1) Oxides of Sulphur
- 3) Carbon monoxide
- A. 1,2,3
- B. 2&3
- C. 1, 3, 4
- **D. All Of The Above**

2) Oxides of nitrogen4) Carbon dioxide

In The Context Of Development In Bio Informatics, Term Transcriptome', Refer To

SSBCrack

- A. A Range Of Enzymes Used In Genome Editing
- B. The Full Range Of mRna Molecules Expressed By An Organism
- C. The Description Of The Mechanism Of Gene Expression
- D. A Mechanism Of Genetic Mutations Taking Place In Cells

In Context Of Development In Bio Informatics, Term Transcriptom^{Esscrick} Refer To

- A. A Range Of Enzymes Used In Genome Editing
- **B.** The Full Range Of mRna Molecules Expressed By An Organism
- C. The Description Of The Mechanism Of Gene Expression
- D. A Mechanism Of Genetic Mutations Taking Place In Cells

The Transcriptome is the set of RNA molecules in a cell or population of cells. It includes messenger RNA (mRNA), transfer RNA (tRNA), ribosomal RNA (rRNA), and other noncoding RNA molecules.

In Dry Regions, The Leaf Size Of A Tree Becomes Smaller. It Is So To

- A. Reduce Metabolism
- B. Reduce Transpiration
- C. Maintain Natural Growth
- D. Protect Plant From Animals

In Dry Regions, The Leaf Size Of A Tree Becomes Smaller. It Is So To

- A. Reduce Metabolism
- **B. Reduce Transpiration**
- C. Maintain Natural Growth
- D. Protect Plant From Animals

In Dry Regions, Trees Undergo Certain Adaptations To Cope With The Limited Water Availability. One Of These Adaptations Is Reducing The Size Of Their Leaves. The Process Behind This Is To Reduce Transpiration.

The Concept Of Ecological Niche Was First Introduced By

- A. C.C. Park
- B. E.P. Odum
- C. J. Grinnell
- D. G.E. Hutchinson

The Concept Of Ecological Niche Was First Introduced By

A. C.C. Park

Joseph Grinnell was the first person to introduce
B. E.P. Odum the concept of ecological niche use in his 1917
paper titled "The niche
C. J. Grinnell relationships of the California Thrasher".

D. G.E. Hutchinson

Ecological niche is a term for the position of a species within an ecosystem, describing both the range of conditions necessary for persistence of the species, and its ecological role in the ecosystem.

Which One Of The Following Statements Is Correct

- A. The Relative Loss Of Energy Due To Respiration Is Lower From Higher Trophic Levels.
- B. Species At Higher Trophic Levels Appear To Be Less Efficient In Using Their Available Food Supply.
- C. Higher Trophic Levels Tend To Be Less Discrete Than The Lower Ones.
- D. Food Chains Tend To Be Reasonably Long.

Which One Of The Following Statements Is Correct

- A. The Relative Loss Of Energy Due To Respiration Is Lower From Higher Trophic Levels.
- B. Species At Higher Trophic Levels Appear To Be Less Efficient In Using Their Available Food Supply.
- C. Higher Trophic Levels Tend To Be Less Discrete Than The Lower Ones.
- D. Food Chains Tend To Be Reasonably Long.

The Relative Loss Of Energy Increases In Successive Trophic Levels. Primary Consumers Use 10% Of The Energy Stored In Plants. Secondary And Tertiary Consumers Transfer 20% Of The Energy From Their Own Bodies So They Are More Efficient. In Going From Lower To Higher Trophic Levels, Energy Transfers Are Insufficient Thus Making The Food Chains Limited To Only 4-5 Trophic Levels. Higher Trophic Levels Are Less Discrete Due To Their Less Specialised Food Habits.

From Ecological Point Of View, Which One Of Following Assumes Importance In Being A Good Link Between Eastern Ghats & Western Ghats

- A. Sathyamangalam Tiger Reserve
- B. Nallamala Forest
- C. Nagarhole National Park
- D. Seshachalam Biosphere Reserve

From Ecological Point Of View, Which One Of Following Assumes Importance In Being A Good Link Between Eastern Ghats & Western Ghats

- A. Sathyamangalam Tiger Reserve
- B. Nallamala Forest
- C. Nagarhole National Park
- D. Seshachalam Biosphere Reserve



Pick Up The Correct Food Chain

- A. Grass \rightarrow Chameleon \rightarrow Insect \rightarrow Bird
- B. Grass \rightarrow Fox \rightarrow Rabbit \rightarrow Bird
- C. Phytoplankton \rightarrow Zooplankton \rightarrow Fish
- D. Fallen Leaves \rightarrow Bacteria \rightarrow Insect Larvae.

Pick Up The Correct Food Chain


- A. Grass \rightarrow Chameleon \rightarrow Insect \rightarrow Bird
- B. Grass \rightarrow Fox \rightarrow Rabbit \rightarrow Bird
- C. Phytoplankton \rightarrow Zooplankton \rightarrow Fish
- D. Fallen Leaves \rightarrow Bacteria \rightarrow Insect Larvae

Upper Part Of Sea/Aquatic Ecosystem Contains

- A. Plankton
- B. Nekton
- C. Plankton And Nekton
- D. Benthos.

Upper Part Of Sea/Aquatic Ecosystem Contains

- A. Plankton
- B. Nekton
- C. Plankton And Nekton
- D. Benthos



Which Of Following Statement Is True About The Ecotone

- A. It Is Meeting Place Of Two Different Eco Systems
- B. It Is Meeting Place Of Two Same Eco Systems
- C. Density Of Species Is Very Low Here
- D. All Of The Above.

Which Of Following Statement Is True About The Ecotone

- A. It Is Meeting Place Of Two Different Eco Systems
- B. It Is Meeting Place Of Two Same Eco Systems
- C. Density Of Species Is Very Low Here
- D. All Of The Above

Ecotone Is A Place Where Two Different Eco Systems Meet Each Other. Mangrove And Terrestrial Eco System Is An Example Of Ecotone. This Area Is Very Rich In Species. The Ecotone Has Species Of Both Ecosystems As Well As Some Species Which Are Characteristic And Restricted To The Ecotone. In A Forest, Deer, Racoons, Squirrels, And Other Animals Eat And Find Shelter. A Detritus Food Web Occurs As Their Wastes Accumulate On The Forest Floor. In This Detritus Web:

- A. Deer And Raccoons Function As The Producers
- B. Fungi And Earthworms Function As Producers
- C. Decomposers Function As Consumers
- D. The Deer And Raccoons Represent Decomposers

In A Forest, Deer, Racoons, Squirrels, And Other Animals Eat And Find Shelter. A Detritus Food Web Occurs As Their Wastes Accumulate On The Forest Floor. In This Detritus Web:

- A. Deer And Raccoons Function As The Producers
- B. Fungi And Earthworms Function As Producers
- **C.** Decomposers Function As Consumers
- D. The Deer And Raccoons Represent Decomposers 49


In The Detritus Food Web The Primary Source Of Energy Or The 'Producer' Is The Detritus, The Primary Consumers Are The Detersives Such As Bacteria, Protozoa, Fungi Etc. The Secondary Consumers Are The Nematodes, Insect Larve Which Feed On The Detersives

In Case Of A Parasitic Food Chain, Shape Of Pyramid Of Number Is Always

- A. Upright
- B. Linear
- C. Inverted
- D. Not certain

In Case Of A Parasitic Food Chain, Shape Of Pyramid Of Number Is Always

- A. Upright
- B. Linear
- C. Inverted
- D. Not certain



The Cause Of Eutrophication Appears To Be Pollution That Contains High Levels Of

- A. Nitrogen And Carbon
- B. Nitrogen And Phosphorus
- C. Carbon And Phosphorus
- D. Carbon, Nitrogen And Phosphorus

The Cause Of Eutrophication Appears To Be Pollution That Contains High Levels Of

- A. Nitrogen And Carbon
- **B. Nitrogen And Phosphorus**
- C. Carbon And Phosphorus
- D. Carbon, Nitrogen And Phosphorus

Eutrophication Is The Process In Which A Water Body Becomes Overly Enriched With Nutrients, Leading To The Plentiful Growth Of Simple Plant Life. The Excessive Growth (Or Bloom) Of Algae And Plankton In A Water Body Are Indicators Of This Process. **Consider The Following Statements: Assertion (A):** Amensalism Is A Negative Interaction Between Two Living Individuals.

SSBCrack

Reason (R): In Amensalism, Allochemicals Are Secreted By One Individual.

- A. Both A And R Are True, R Is Correct Explanation Of A.
- B. Both A And R Are True, But R Is Not The Correct Explanation Of A.
- C. A Is True, R Is False.
- D. A Is False, R Is True.

Consider The Following Statements: Assertion (A): Amensalism Is A Negative Interaction Between Two Living Individuals.

SSBCrack

Reason (R): In Amensalism, Allochemicals Are Secreted By One Individual.

- A. Both A And R Are True, R Is Correct Explanation Of A.
- B. Both A And R Are True, But R Is Not The Correct Explanation Of A
- C. A Is True, R Is False.
- D. A Is False, R Is True

Table 13.1 : Population Interactions

Species A	Species B	Name of Interaction
+	+	Mutualism
- ·	-	Competition
+	-	Predation
+	_	Parasitism
+	0	Commensaltsm
-	0	Amensaltsm

Consider The Following Kinds Of Organisms And Identify The Pollinating Agent/Agents

- A. Bat And Bee But Not Bird
- B. Bee, Bat And Birds
- C. Hummingbird But Not Bee
- D. Wind, Bee, Bat, Birds.

Consider The Following Kinds Of Organisms And Identify The Pollinating Agent/Agents

- A. Bat And Bee But Not Bird
- **B.** Bee, Bat And Birds
- C. Hummingbird But Not Bee
- D. Wind, Bee, Bat, Birds

Which National Parks Is Unique In Being A Swamp With Floating Vegetation That Supports A Rich Biodiversity

- A. Bhitarkanika National Park
- B. Keibul Lamjao National Park
- C. Keoladeo Ghana National Park
- D. Sultanpur National Park

Which National Parks Is Unique In Being A Swamp With Floating Vegetation That Supports A Rich Biodiversity

- A. Bhitarkanika National Park
- **B. Keibul Lamjao National Park**
- C. Keoladeo Ghana National Park
- D. Sultanpur National Park



Keibul Lamjao National Park Is A National Park In The Bishnupur District Of Manipur, India. It Was Established On March 28, 1977 And Is 40 Square Kilometers In Area. The Park Is The Only Floating National Park In The World And Is Part Of Loktak Lake.

Which One Of The Following Is The Best Description Of The Term 'Ecosystem'

- A. A Community Of Organisms Interacting With One Another.
- B. That Part Of The Earth Which Is Inhabited By Living Organisms.
- C. A Community Of Organisms Together With The Environment In Which They Live
- D. The Flora And Fauna Of A Geographical Area

Which One Of The Following Is The Best Description Of The Term 'Ecosystem'

- A. A Community Of Organisms Interacting With One Another.
- B. That Part Of The Earth Which Is Inhabited By Living Organisms.
- C. A Community Of Organisms Together With The Environment In Which They Live
- D. The Flora And Fauna Of A Geographical Area

Match List-I with List-II

					ABCD
	List-I		List-II		
A.	Biodiversity	1.	G. Tansley	Α.	2431
В.	Wildlife	2.	E.O. Wilson	B.	2413
C.	Ecosystem	3.	E. Haeckel	2.	
D.	Ecology	4.	W.T.	C.	4231
			Hornaday	D.	4213

Match List-I with List-II

A.

В.

С.

D.

			ABCD
List-I		List-II	
Biodiversity	1.	G. Tansley	A. 2431
Wildlife	2.	E.O. Wilson	B. 2413
Ecosystem	3.	E. Haeckel	C. 4231
Ecology	4.	W.T.	C. 4251
		Hornaday	D. 4213

In India, In Which One Of Following Types Of Forests Is Teak A Dominant Tree Species

- A. Tropical Moist Deciduous Forest
- B. Tropical Rain Forest
- C. Tropical Thorn Scrub Forest
- D. Temperate Forest With Grasslands

In India, In Which One Of Following Types Of Forests Is Teak A Dominant Tree Species

- **A. Tropical Moist Deciduous Forest**
- B. Tropical Rain Forest
- C. Tropical Thorn Scrub Forest
- D. Temperate Forest With Grasslands

Main Species Of Tropical Moist Deciduous Forests: Teak, Sal, Sheshum, Amla, Kusum, Mahua, Sandalwood

'Bio Carbon Fund Initiative For Sustainable Forest Landscapes' Is Managed By The

- A. Asian Development Bank
- B. International Monetary Fund
- C. United Nations Environment Programme
- D. World Bank

'Bio Carbon Fund Initiative For Sustainable Forest Landscapes' Is Managed By The

- A. Asian Development Bank
- B. International Monetary Fund
- C. United Nations Environment Programme
- D. World Bank



Which One Of The Following Statements Is Not Correct

- A. Ecosystem's Structure, Species Composition And Functioning Change Seasonally Between Years.
- B. Nature Has Spent Millions Of Years To Refine A Stable Ecosystem.
- C. Ecosystem Functions Mainly Through The Input Of Solar Energy
- D. The Relative Loss Of Energy Due To Respiration Decreases With Higher Trophic Levels.

Which One Of The Following Statements Is Not Correct

- A. Ecosystem's Structure, Species Composition And Functioning Change Seasonally Between Years.
- B. Nature Has Spent Millions Of Years To Refine A Stable Ecosystem.
- C. Ecosystem Functions Mainly Through The Input Of Solar Energy
- D. The Relative Loss Of Energy Due To Respiration Decreases With Higher Trophic Levels

As We Go Higher In The Trophic Levels Through The Food Chain, The Loss Of Energy Due To Respiration As Well As Metabolic Activities Successively Increase. So, There Occurs The Transference Of Only 10% Of The Preceding Trophic Level To The Next Higher Trophic Level.

Consider The Following Statements:

Assertion (A): Plants Are Called Primary Producers Reason (R): Plants Produce Their Food Themselves Through The Process Of Photosynthesis

- A. Both A And R Are True And R Is The Correct Explanation Of A.
- B. Both A And R Are True But R Is Not The Correct Explanation Of A.
- C. A Is True But R Is False.
- D. A Is False But R Is True.

Consider The Following Statements:

Assertion (A): Plants Are Called Primary Producers Reason (R): Plants Produce Their Food Themselves Through The Process Of Photosynthesis

A. Both A And R Are True And R Is The Correct Explanation Of A.

- B. Both A And R Are True But R Is Not The Correct Explanation Of A.
- C. A Is True But R Is False.
- D. A Is False But R Is True

As An Ecosystem, Wetlands Are Useful For Which Of Following

- A. For Nutrient Recovery And Cycling
- B. For Releasing Heavy Metals Through Absorption By Plants.
- C. They Maintain The Rivers And Control Floods.
- D. All The Above

As An Ecosystem, Wetlands Are Useful For Which Of Following

- A. For Nutrient Recovery And Cycling
- B. For Releasing Heavy Metals Through Absorption By Plants.
- C. They Maintain The Rivers And Control Floods.
- **D. All The Above**

In Nitrogen Cycle, Soil Nitrates Are Transformed Into Free Nitrogen By

- A. Nitrifying Bacteria
- B. Denitrifying Bacteria
- C. Ammonifying Bacteria
- D. Both (A) And (C)

In Nitrogen Cycle, Soil Nitrates Are Transformed Into Free Nitrogen By

- A. Nitrifying Bacteria
- **B. Denitrifying Bacteria**
- C. Ammonifying Bacteria
- D. Both (A) And (C)

During Denitrification, Nitrates Are Reduced To Nitrites And Then To Nitrogen Gas And Ammonia. It Is Carried Out By Denitrifying Bacteria Such As Thiobacillus Denitrificans, Micrococcus Denitrificans, Pseudomonas Species Etc.


Which One Of Following Is Not Helpful In Maintaining Ecological Stability

- A. Ecosystem Complexity
- B. Ecosystem Diversity
- C. Ecosystem Uniformity
- D. Homeostatic Mechanism

Which One Of Following Is Not Helpful In Maintaining Ecological Stability

- A. Ecosystem Complexity
- B. Ecosystem Diversity
- C. Ecosystem Uniformity
- D. Homeostatic Mechanism

Choose from our Courses





India's Most Popular Portal for Defence Exam Preparation

